

DTIC FILE COPY

(4)

AD-A224 738

ARL-TR-90-21

Copy No. 10

**NONLINEAR ACOUSTICS: PROPAGATION IN A
PERIODIC WAVEGUIDE AND SCATTERING OF SOUND BY SOUND
SECOND ANNUAL SUMMARY REPORT UNDER CONTRACT N00014-89-J-1109**

David T. Blackstock

**APPLIED RESEARCH LABORATORIES
THE UNIVERSITY OF TEXAS AT AUSTIN
POST OFFICE BOX 8029, AUSTIN, TEXAS 78713-8029**

17 July 1990

Annual Report

1 October 1989 - 30 September 1990

Approved for public release;
distribution unlimited.

Prepared for:

**OFFICE OF NAVAL RESEARCH
DEPARTMENT OF THE NAVY
ARLINGTON, VA 22217-5000**

**DTIC
ELECTED
JUL 31 1990**



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

Form Approved
OMB No. 0704-0180**REPORT DOCUMENTATION PAGE**

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		1b. RESTRICTIVE MARKINGS										
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.										
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE												
4. PERFORMING ORGANIZATION REPORT NUMBER(S) ARL-TR-90-21		5. MONITORING ORGANIZATION REPORT NUMBER(S)										
6a. NAME OF PERFORMING ORGANIZATION Applied Research Laboratories	6b. OFFICE SYMBOL (if applicable) ARL:UT	7a. NAME OF MONITORING ORGANIZATION Office of Naval Research										
6c. ADDRESS (City, State, and ZIP Code) The University of Texas at Austin Austin, TX 78713-8029		7b. ADDRESS (City, State, and ZIP Code) Physics Division - Code 1112 Arlington, VA 22217-5000										
8a. NAME OF FUNDING/SPONSOR ORGANIZATION	8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER N00014-89-J-1109										
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS <table border="1"> <tr> <th>PROGRAM ELEMENT No.</th> <th>PROJECT No.</th> <th>TASK No.</th> <th>WORK UNIT ACCESSION No.</th> </tr> <tr> <td>61153N</td> <td></td> <td></td> <td>4126317</td> </tr> </table>		PROGRAM ELEMENT No.	PROJECT No.	TASK No.	WORK UNIT ACCESSION No.	61153N			4126317	
PROGRAM ELEMENT No.	PROJECT No.	TASK No.	WORK UNIT ACCESSION No.									
61153N			4126317									
11. TITLE (Include Security Classification) Nonlinear Acoustics: Propagation in a Periodic Waveguide and Scattering of Sound by Sound												
12 PERSONAL AUTHOR(S) Blackstock, David T.												
13a. TYPE OF REPORT Annual Summary	13b. TIME COVERED 89-10-1 to 90-9-30	14. DATE OF REPORT (Year, Month, Day) 90-7-17	15. PAGE COUNT									
16. SUPPLEMENTARY NOTATION												
17. COSATI CODES <table border="1"> <tr> <th>FIELD</th> <th>GROUP</th> <th>SUB-GROUP</th> </tr> <tr> <td>20</td> <td>01</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>	FIELD	GROUP	SUB-GROUP	20	01					18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) nonlinear acoustics scattering of sound by sound periodic waveguide Bloch waves N-waves		
FIELD	GROUP	SUB-GROUP										
20	01											
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Research on nonlinear acoustics during the 12-month period ending 30 September 1990 is described. The two primary projects are (A) propagation in a periodic waveguide and (B) scattering of sound by sound. Project (A) is a combined theoretical and experimental study of acoustic Bloch waves in a rectangular, air-filled waveguide that is periodically loaded with reactive branch elements. A small-signal study of the system was done the previous year. This year second harmonic distortion was investigated. A quasilinear solution of the generalized Westervelt equation, with certain terms neglected, showed that although the fundamental Bloch wave is progressive, the second harmonic Bloch wave has both forward traveling and backward traveling components. Experimental measurements generally confirmed the theoretical predictions. In project (B) an analytical study was completed of the effect of various source boundary conditions on the scattered field. The project is mainly experimental, however. The tank facility (located in the Mechanical				21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED								
<input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		22a. NAME OF RESPONSIBLE INDIVIDUAL L. E. Hargrove, ONR Physics Division			22b. TELEPHONE (Include Area Code) (202) 696-4221	22c. OFFICE SYMBOL ONR Code 1112						

19. Engineering Department), where the experiments on scattering will be carried out, was completed. A series of three different experiments is planned. Besides the progress on Projects (A) and (B), some work was also done on (C) an upgrade of the Nonlinear Acoustics Laboratory and (D) measurements of ellipsoidal focusing of spark-produced N waves.



Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Classification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Special	
A-1	

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	v
1. INTRODUCTION	1
2. PROJECTS	3
2.1 Propagation in a Periodic Waveguide	3
2.2 Scattering of Sound by Sound	5
2.3 Laboratory Upgrade	9
2.4 Miscellaneous	10
3. SUMMARY	11
REFERENCES	13
CHRONOLOGICAL BIBLIOGRAPHY, 1988-1990	15

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
2.1	The magnitude and phase of g/f	5
2.2	Amplitude of the second harmonic Bloch wave as a function of distance. Fundamental Bloch wave frequency is 680 Hz and source level is 133 dB.	6
2.3	Beam patterns of scattered sound for various source boundary conditions.	7

1. INTRODUCTION

The research carried out under Grant N00014-89-J-1109, which began 1 October 1988 and is the successor to Contract N00014-84-K-0574, is primarily in the field of nonlinear acoustics. The broad goal is to determine the laws of behavior of finite-amplitude sound waves, especially to find generalizations of the known laws of linear acoustics. This report is the second annual report under the Grant and covers the 12-month period ending 30 September 1990. The previous report (first annual report¹) is referred to herein as 89-6.*

The following persons participated in the research:

Graduate students

C. E. Bradley, M.S. student in Mechanical Engineering

J. A. Ten Cate, Ph.D. student in Mechanical Engineering

Undergraduate student

M. J. Van Doren, senior in Mechanical Engineering

Senior personnel

M. F. Hamilton,[†] Mechanical Engineering Department, The University of Texas at Austin

J. Naze Tjøtta,[‡] Research Fellow, on leave from Mathematics Institute, University of Bergen, Norway

W. M. Wright, Consultant, Physics Department, Kalamazoo College, Michigan

D. T. Blackstock, principal investigator

*Numbers given in this style refer to items in the Chronological Bibliography given at the end of this report, e.g., 89-6 means the sixth entry in the list for 1989.

[†]Hamilton received no direct support from the Grant. However, he is co-supervisor of Ten Cate's Ph.D. research, which is described in Project B below.

[‡]Although Naze Tjøtta received no direct support from the Grant, she provided supervision for the theoretical portion of Ten Cate's Ph.D. research, which is described in Project B below.

2. PROJECTS

The following projects were active during the report period:

- A. Propagation in a Periodic Waveguide
- B. Scattering of Sound by Sound
- C. Laboratory Upgrade
- D. Miscellaneous

Primary effort was devoted to Projects A and B.

2.1 Propagation in a Periodic Waveguide

This is Bradley's project. Reported last year were theoretical and experimental results for acoustic Bloch wave propagation in a rectangular waveguide loaded with rigidly terminated side branches (see Sec. 2.2 in 89-6). Finite-amplitude as well as small-signal waves were investigated. The primary finding for small-signal waves was that the previously derived dispersion relation (Eq. 2.1 in 89-6) showed very good agreement with Bradley's measurements of attenuation and dispersion. Predictions from the nonlinear theory, which was based on Korpel's progressive spectral wave equation,² showed good *qualitative* agreement with some early measurements of the second harmonic behavior, but poor *quantitative* agreement (89-4). One of the problems was that the theoretical predictions failed to explain the strong second harmonic signal that was measured very close to the source (it was determined that the source itself was not to blame). A desire to improve the theoretical model led to this year's work, which began with a reexamination of the linear theory. The result was a better understanding of the structure of linear Bloch waves in a periodic waveguide and, in turn, the development of a more successful nonlinear theory.

The review of the linear theory proved to be quite illuminating. The detailed structure of Bloch waves was worked out and a new expression of the Bloch wave function, referred to here as the convolution expression, was derived. Bloch wave functions can be expressed in a variety of ways, but the convolution expression aids

qualitative understanding of the structure of the Bloch wave and is ideally suited to the nonlinear analysis. Let h be the (spatial) period of the structure, and let $\psi(z)$ represent the pressure wave function in a single cell $-h/2 < z < h/2$ of the structure. It is found that the Bloch wave function $p(z)$ for the complete structure is expressed as the convolution of $\psi(z)$ with a phase weighted lattice function,

$$p(z) = \psi(z) * \sum_{n=-\infty}^{+\infty} \delta(z - nh) e^{iqnh}, \quad (2.1)$$

where q is the wave number of the Bloch wave. The convolution of the cell wave function with each delta function in the lattice simply places an appropriately phased copy of the cell wave function in every other cell of the structure. The cell wave function itself is composed of a forward traveling or f wave and a backward traveling or g wave:

$$\psi(z) = \begin{cases} 0 & z < -h/2, z > h/2 \\ fe^{j kz} + ge^{-j kz} & |z| < h/2. \end{cases} \quad (2.2)$$

Equation 2.1 shows the Bloch wave function to be a string of identical but delayed copies of the compound wave field that exists in a single cell.

The Bloch wave function is completely determined by q and g/f . While q is found from the previously derived and experimentally verified dispersion relation (Eq. 2.1 in 89-6), g/f , the relative amplitude (and phase) of the f and g waves, is found in terms of impedances:

$$g/f = \frac{Z_{Ba} - Z_{oa}}{Z_{Ba} + Z_{oa}}.$$

Here Z_{Ba} and Z_{oa} are the acoustic impedances of the waveguide with and without the side branches, respectively. Note that Z_{Ba} depends upon frequency and various waveguide dimensions. The acoustic pressure field measured at two points in a cell provided sufficient information to find g/f . Figure 2.1 shows that the theoretical and experimental results are in excellent agreement.

Next consider the nonlinear case. Because the Bloch wave function is composed of compound wave fields, our use last year of Korpel's progressive wave equation as the model equation for finite amplitude Bloch waves was not really appropriate. We therefore shifted this year to the generalized Westervelt equation,⁴ which is valid for compound flow. A quasilinear analysis was employed in which the fundamental field is represented by its convolution expression. The solution of the equation for the second harmonic, found by using a discrete Green's function, is as follows:

$$p_2(z) = G_o(z) * \sum_{n=-\infty}^{+\infty} \delta(z - nh) e^{2j n q_1 h}, \quad (2.3)$$

where q_1 is the Bloch wave number for the fundamental. The function $G_o(z)$ is the second harmonic response due to the presence of the fundamental field in a single cell,




FIGURE 2.1
The magnitude and phase of g/f .

AS-90-533

i.e., the response due to $\psi(z)$, and is composed of both forward *and* backward traveling Bloch wave components. The excitation of *bidirectional* second harmonic Bloch waves by the fundamental Bloch wave accounts for the large on-source second harmonic level that was measured last year. The present theory is thus an improvement over the progressive wave theory.

A model incorporating the effects of truncation of the periodic waveguide and second harmonic generation in the source region was developed, and an analytical, closed form result was found (the series in Eq. 2.3 can be summed). The functional form of $G_o(z)$ was derived by assuming that the locally generated second harmonic due to nonlinear interaction of the fundamental f and g waves is negligible. A comparison of the theoretical result and a measurement is shown in Fig. 2.2. The agreement is seen to be fairly reasonable (90-3, 90-8).

Bradley's work seems to be the first that has ever been done on nonlinear acoustical Bloch waves. The only other research of which we are aware on nonlinear Bloch waves is in nonlinear optics⁵ and is generally for the case of small dispersion. Dispersion is definitely not small for the Bloch waves in Bradley's system.

2.2 Scattering of Sound by Sound

The purpose of this project, which is Ten Cate's Ph.D. topic, is to perform an experimental check of the Tjøtta's predictions concerning scattering of sound by sound. This year Ten Cate concentrated on getting the new tank facility in the Department




FIGURE 2.2
Amplitude of the second harmonic Bloch wave as a function of distance.
Fundamental Bloch wave frequency is 680 Hz and source level is 133 dB.

AS-90-534

of Mechanical Engineering (see Sec. 2.3 in 89-6) ready for measurements. However, together with the Tjøttas, he also submitted a paper, which is a complete account of some earlier reports (89-8, 89-9), to *J. Acoust. Soc. Am.* (90-8).

The paper with the Tjøttas, "Effects of boundary conditions on the nonlinear interaction of sound beams," has relevance to Ten Cate's upcoming scattering of sound by sound measurements. In practically all treatments of radiation and propagation of finite-amplitude waves, the second order field is presumed to be zero at the source(s) of the primary field(s).⁴ The theoretical and numerical work in the present paper shows that the actual (nonzero) boundary conditions on the second order field have effects that are *not* negligible. Figure 2.3 shows computed sum (top) and difference (bottom) frequency fields for an interaction that results in the scattering of sound by sound. The geometry of the transducers and the crossed beams they generate is shown by the insert in the center of the figure. The boundary conditions in question are those assumed on the horizontal dashed line, which represents the plane of the sources. The dash-dot-dot patterns that peak at 45° (top left and lower right) represent the classical product directivity. The separate curves shown in the insets show the effects of different boundary conditions imposed on the second order field. The four boundary conditions are as follows: (1) rigid wall, (2) rigid wall with source motion included, (3) pressure release wall, and (4) pressure release wall with source motion included.* The results show that (1) it is mostly the scattered sound that is affected by changing the boundary conditions, and (2) the difference caused by

*The fifth curve is for a nonphysical boundary condition, included in order to reference previous work.⁵




FIGURE 2.3
Beam patterns of scattered sound for various source boundary conditions.

AS-90-535

varying the boundary conditions seems to be, at most, 5 to 6 dB. Also discussed in the paper is the relevance of boundary conditions to second harmonic generation and to parametric receiving and transmitting arrays.

The rest of Ten Cate's time was spent with the new tank facility in the Mechanical Engineering Department. The custom, computer-controlled positioning system was assembled and put in place over the tank. The receive system includes computer-controlled x , y , z (vertical), and θ (about z axis) movement. The system is closed loop (with feedback to hold desired position). The transmit system includes a completely manual control but with computer readout of position.

Although the positioning system was mostly complete when received, some work was required to make it usable. Two types of receiver PVDF hydrophones will be utilized, needle type and membrane type. Some machining had to be done. The membrane hydrophones required a somewhat specialized mount to provide some tilt capability. The ultrasonic sources required individually machined holders. The motor drives, power sources, and associated equipment had to be rack mounted and the entire system checked out. Connecting and interfacing the Macintosh II to the motor controller, Berkeley Axis Machine or BAM, took some time as well. The BAM is a computer itself and its programming language had to be learned. Work is currently being done to make the software package LabVIEW communicate with the BAM and other instruments that will be used in the experiments.

Ten Cate also spent considerable time "tuning" the motion of each of the axes after everything was assembled and functioning. He aimed for repeatability on the order of 100 μm . Repeatability is a measure of how close one can return to a given position. For reference, the PVDF membrane hydrophone used in the tank has a thickness of 25 μm . Electronic damping and stiffness are added to each axis for the best motion profile, given the mass of the sources and the system parts being moved. Unfortunately, the method for arriving at the correct damping and stiffness is essentially one of trial and error. Ideally, one desires smooth motion that produces quick and accurate arrival at a chosen position.

It is expected that the actual experiments will be well under way before the end of the present report period. Preliminary qualitative experiments are just now being started. Three types of experiments are planned: (1) reexamination of second harmonic generation from a circular piston source, (2) examination of the effects of pulse length on a Gaussian source, and (3) measurement of the scattering of sound by sound.

2.3 Laboratory Upgrade

The first goal in the upgrade of our Nonlinear Acoustics Laboratory was to assemble a basic computer controllable data acquisition system. This task was completed last year (see Sec. 2.5 in 89-6). The heart of the system is a realtime digitizer (Tektronix RTD 710A), an arbitrary function generator (Wavetek model 275), software to acquire, process, and display data (National Instruments LabVIEW), and a general purpose interface bus (GPIB). The last two items enable our Macintosh II computer to exercise control over the instruments. This year we added important components to the system: a bandpass filter (Krohn Hite model 3202), an audio power amplifier (Hasler Pro 500), and a high voltage dc power supply (Glassman EH20P). Two more items, a powerful spectrum analyzer (Hewlett Packard 35660A) and an A-D/D-A board (National Instruments NB-M10-16XH-42), will be purchased by the end of the report period. The A-D/D-A board, to be added to the Mac II, will increase the dynamic range of the entire system to 96 dB and perform certain other operations. Not all of the instruments are used in every experiment, of course. For example, the high voltage supply is intended only for our investigations with sparks. Each instrument is, however, capable of being an integral part of any given computer-controlled measurement.

We also began the development of a small water tank facility for experiments in the megahertz frequency range. This facility is not intended to compete with the larger, more elaborate, and high precision tank facility recently constructed in the Mechanical Engineering Department on the main campus of the University (see Sec. 2.3 in 89-6). Since the small tank will be located at ARL:UT, it will provide us a more convenient means with which to carry out small-scale experiments with high frequency beams on such topics as reflection and transmission at an interface. (It will be recalled that Cotaras's study of reflection and transmission was limited to theoretical calculations, largely because an airborne experiment proved too difficult; see Sec. 2.1 in 89-6.)

The tank itself has been constructed. Designed and built of 1/2" lucite by Van Doren, it has external dimensions 23.5" x 12.5" x 12.2". Three threaded holes are provided for side or bottom mounting of transducers or spark sources. A spark source has also been constructed,* and a PVDF needle hydrophone has been purchased.

The proposal for a continuation of the grant includes plans for equipping the tank with hydrophone positioning apparatus and necessary electronics for sending and receiving signals. It is hoped that the positioning apparatus can also be used for positioning a microphone in our airborne experiments with sparks. Initially we

*Funds for building the spark source came from NIH. The tank may also be used for some experiments relevant to medical ultrasonics.

had expected to obtain the positioning apparatus during the present year (see Sec. 2.5 in 89-6), but a one-year postponement became attractive when we learned that a highly skilled person, Youseph Yazdi, will be joining our group as a graduate student in September 1990. Yazdi has had a great deal of experience in designing and using tanks of this sort, and his expertise should be invaluable in completing the facility next year.

2.4 Miscellaneous

The project on ellipsoidal focusing (see Sec. 2.4 in 89-6) continued at a very slow pace because of lack of a student this year. Our consultant, Wayne M. Wright, spent some time rebuilding the microphone preamplifier, which had fallen on hard times, and improving on some of the measurements reported last year (89-2, 89-3). He will complete the draft of a journal article on the ellipsoidal focusing measurements before the end of the present report period.

Other activities included presenting papers on evanescent waves (90-1), laboratory demonstrations in nonlinear acoustics (90-2), absorption of finite-amplitude sound (90-6), and finite-amplitude waves in porous material (90-7).

3. SUMMARY

During the current report period, 1 October 1989 – 30 September 1990, we have been occupied primarily with two projects, (A) propagation in a periodic waveguide, and (B) scattering of sound by sound. Work has also been done on (C) upgrade of the Nonlinear Acoustics Laboratory and (D) some miscellaneous items. Project (A) is a combined theoretical and experimental study of acoustical Bloch waves in a rectangular, air-filled waveguide that is periodically loaded with reactive branch elements. Although a small-signal study of this system had been completed the previous year, discrepancies between theory and experiment for finite-amplitude waves prompted a review of the linear theory. The review led to a new theoretical expression for the nonlinearly generated second harmonic Bloch wave. The theoretical prediction is now in better agreement with our measurements. Project (B), although mainly experimental, produced a journal article this year on the effect of various source boundary conditions on the scattered field. The Mechanical Engineering Department tank facility, where the experiments on scattering will be carried out, has been completed. A series of three different experiments is planned to begin before the end of the present report period. The main goal of Project (C), to make possible a variety of computer-controlled experiments, was achieved last year. Additional equipment was purchased this year to expand the scope of the experiments that can be done. Work was also begun on a small water tank for experiments in the megahertz frequency range. Miscellaneous items under Project (D) include work on ellipsoidal focusing and presentation of various papers.

REFERENCES

1. D. T. Blackstock, "Nonlinear Acoustics: Reflection and Refraction, Propagation in a Periodic Waveguide, Scattering of Sound by Sound, and Ellipsoidal Focusing," First Annual Summary Report under Grant N00014-89-J-1109, Technical Report ARL-TR-89-38, Applied Research Laboratories, The University of Texas at Austin, 31 July 1989 (AD A211 412).
2. A. Korpel, "Frequency approach to nonlinear dispersive waves," *J. Acoust. Soc. Am.* **67**, 1954-1958 (1980).
3. C. Elachi, "Waves in active and passive periodic structures: a review," *Proc. IEEE* **64**, 1666-1698 (1976).
4. J. Naze Tjøtta and S. Tjøtta, "Interaction of sound waves, Part I: Basic equations and plane waves," *J. Acoust. Soc. Am.* **82**, 1425-1428 (1987).
5. N. Bloembergen and A. J. Sievers, "Nonlinear optical properties of periodic laminar structures," *Appl. Phys. Letters* **17**, 483-485 (1970).
6. J. Berntsen, J. Naze Tjøtta, and S. Tjøtta, "Interaction of sound waves. Part IV: Scattering of sound by sound," *J. Acoust. Soc. Am.* **86**, 1968-1983 (1989).

CHRONOLOGICAL BIBLIOGRAPHY
1988-1990
Grant N00014-89-J-1109
and
Predecessor Contract N00014-84-K-0574 (ended 9-30-88)

	<u>Code</u>	<u>ONR Grant/Contract</u>
B	= chapter in a book	1109 = N00014-89-J-1109,
J	= journal publication	began 10-1-88
JS	= submitted for journal publication	0574 = N00014-84-K-0574,
O	= oral presentation	ended 12-31-88
P	= paper in a proceedings	
T	= thesis or dissertation	0867 = N00014-75-C-0867
TR	= technical report	ended 8-31-84

1988

ONR <u>Contract</u>	<u>Code</u>	
0574	J	^a 1. M. F. Hamilton and D. T. Blackstock, "On the coefficient of nonlinearity β in nonlinear acoustics," <i>J. Acoust. Soc. Am.</i> 83 , 74-77 (1988).
0574	O	^{b,c} 2. D. T. Blackstock, "Shock wave propagation and shape of the waveform," Conference on Lithotripsy (Extra-Corporeal Shock Wave Applications - Technical and Clinical Problems), University of Florida, Gainesville, 12-13 March 1988.
0574	O	^b 3. D. T. Blackstock, "Calculation of the intensity and absorption of a finite-amplitude sound wave," Paper B8, 115th Meeting, Acoustical Society of America, Seattle, 16-20 May 1988. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 83 , S5 (1988).
0574	O	^b 4. D. T. Blackstock, "Physical aspects of lithotripsy," Paper GG1, 115th Meeting, Acoustical Society of America, Seattle, 16-20 May 1988. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 83 , S71 (1988).

^aHamilton's support for this work came from Contract N00014-85-K-0708.

^bPrimary support for this work came from University of Rochester, NIII Grant CA 39241.

^cPartial support for this work came from a grant from Bureau of Engineering Research, College of Engineering, The University of Texas at Austin.

1988 (cont.)

ONR

Contract Code

0574	TR	5.	D T. Blackstock, "Nonlinear Acoustics: Reflection and Refraction, Scattering of Sound by Sound, and Periodic Media," Fourth Annual Summary Report under Contract N00014-84-K-0574, Technical Report ARL-TR-88-30, Applied Research Laboratories, The University of Texas at Austin, 30 June 1988 (AD A197 614).
0867	J	6.	M. F. Hamilton and J. A. Ten Cate, "Finite amplitude sound near cutoff in higher order modes of a rectangular duct," <i>J. Acoust. Soc. Am.</i> 84 , 327-334 (1988).
Gen [§]	O	7.	D. T. Blackstock, I. J. Busch-Vishniac, M. F. Hamilton, and E. L. Hixson, "Graduate acoustics at The University of Texas at Austin," Paper ZZ9, 116th Meeting, Acoustical Society of America, Honolulu, 14-18 November 1988. ABSTRACT: <i>J. Acoust. Am.</i> 84 , S167 (1988).

§Although no specific grant or contract can be cited, it is appropriate to acknowledge ONR because its support of research in physical acoustics at U. T. Austin has played an important role in the development of the University's graduate acoustics program.

1989

ONR

Contract Code

1109 0574	T,TR	1.	F. D. Cotaras, "Reflection and Refraction of Finite Amplitude Acoustic Waves at a Fluid-Fluid Interface," Ph.D. dissertation, Electrical and Computer Engineering Department, The University of Texas at Austin, May 1989. Also issued as Technical Report ARL-TR-89-1, Applied Research Laboratories, The University of Texas at Austin (3 January 1989). (AD A209800) ABSTRACT: <i>J. Acoust. Soc. Am.</i> 89 (1991).
1109	O	^d 2.	D. T. Blackstock, S. Cheng, M. R. Jones, and W. M. Wright, "Focusing of intense sound pulses by an ellipsoidal reflector," Paper BE12, Joint Spring Meeting, Texas Sections of American Association of Physics Teachers and American Physical Society, University of Houston, Houston, Texas, 3-4 March 1989.
1109	O	^d 3.	S. T. W. Cherg, M. R. Jones, D. T. Blackstock, and W. M. Wright, "Focusing of an N wave by an ellipsoidal reflector: An experiment in air," Paper TT12, 117th Meeting, Acoustical Society of America, Syracuse, 22-26 May 1989. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 85 , S113 (1989).
1109 0574	O	4.	C. E. Bradley, "Finite amplitude acoustic propagation in a periodic structure," Paper B12, 117th Meeting, Acoustical Society of America, Syracuse, 22-26 May 1989. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 85 , S6 (1989).
1109 0574 0867	O	5.	D. T. Blackstock, "Physical aspects of nonlinear acoustics," invited review paper, Conference for Ultrasonics in Biophysics and Bioengineering, Allerton Park, Monticello, Illinois, 30 May-2 June 1989.
1109	TR	6.	D. T. Blackstock, "Nonlinear Acoustics: Reflection and Refraction, Propagation in a Periodic Waveguide, Scattering of Sound by Sound, and Ellipsoidal Focusing," First Annual Summary Report under Grant N00014-89-J-1109, Technical Report ARL-TR-89-38, Applied Research Laboratories, The University of Texas at Austin, 31 July 1989. (AD A211412)

^dPrimary support for this work came from Applied Research Laboratories IR&D program and Texas Advanced Research Program.

1989 (cont.)

ONR

Contract Code

1109 0574	O,P	7. F. D. Cotaras, D. T. Blackstock, S. Tjøtta, and J. Naze Tjøtta, "An analysis of the reflection and refraction of finite-amplitude plane waves at a plane fluid-fluid interface," 13th International Congress on Acoustics, Belgrade, 24-31 August 1989. Proceedings, Vol. I, pp. 263-266 (1989).
1109 0574	O,P	8. J. Naze Tjøtta, J. A. Ten Cate, and S. Tjøtta, "Scattering of sound by sound: Effects of boundary conditions," 13th International Congress on Acoustics, Belgrade, 24-31 August 1989. Proceedings, Vol. I, pp. 287-290 (1989).
1109 0574	O	9. J. Naze Tjøtta, J. A. Ten Cate, and S. Tjøtta, "Effects of boundary conditions on the propagation and interaction of finite amplitude sound beams," Paper PP2, 118th Meeting, Acoustical Society of America, St. Louis, 27 November-1 December 1989. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 86 , S106 (1989).

*Partial support for this work came from Applied Research Laboratories IR&D program.

1990

ONR

Contract Code

Gen [§]	O	1.	D. T. Blackstock, "Evanescent waves in acoustics," Paper AC1, Joint Spring Meeting, Texas Sections of American Association of Physics Teachers and American Physical Society, Texas Christian University, Fort Worth, Texas, 2-3 March 1990. ABSTRACT: <i>Bull. Am. Phys. Soc.</i> 35 , 1328 (1990).
1109 0574 0867	O	2.	D. T. Blackstock and J. D. Maynard, "Demonstration of nonlinear acoustics phenomena," Paper L6, 119th Meeting, Acoustical Society of America, Penn State University, 21-25 May 1990. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 87 , S32 (1990).
1109	O	3.	C. E. Bradley, "Linear and nonlinear acoustic propagation in a periodic waveguide," Paper TT9, 119th Meeting, Acoustical Society of America, Penn State University, 21-25 May 1990. ABSTRACT: <i>J. Acoust. Soc. Am.</i> 87 , S113 (1990).
1109 0574	JS	4.	J. Naze Tjøtta, J. A. Ten Cate, and S. Tjøtta, "Effects of boundary conditions on the nonlinear interaction of sound beams," submitted June 1990 for publication in <i>J. Acoust. Soc. Am.</i>
1109	TR	5.	D. T. Blackstock, "Nonlinear Acoustics: Propagation in a Periodic Waveguide and Scattering of Sound by Sound," Second Annual Summary Report under Grant N00014-89-J-1109, Technical Report ARL-TR-90-21, Applied Research Laboratories, The University of Texas at Austin, 17 July 1990. (AD A____)
1109 0574	O,P	6.	D. T. Blackstock, "On the absorption of finite-amplitude sound," 12th International Symposium on Nonlinear Acoustics, Austin, Texas, 27-31 August 1990, in <i>Frontiers of Nonlinear Acoustics - 12th ISNA</i> , M. F. Hamilton and D. T. Blackstock, eds. (Elsevier Applied Science, London, 1990).

^fMaynard's support for this work came from an ONR contract at Pennsylvania State University.

^gPartial support for this work came from NIH Grant CA 49172 and from University of Rochester NIH Grant CA 39241.

1990 (cont.)

ONR	Contract	Code	
	0574	O,P	^h 7. D. A. Nelson and D. T. Blackstock, "Harmonic generation, propagation and attenuation for finite-amplitude tones in an air-filled porous material," 12th International Symposium on Nonlinear Acoustics, Austin, Texas, 27-31 August 1990, <i>Frontiers of Nonlinear Acoustics - 12th ISNA</i> , M. F. Hamilton and D. T. Blackstock, eds. (Elsevier Applied Science, London, 1990).
	0574	O,P	8. C. E. Bradley, "Linear and nonlinear acoustic propagation in a periodic waveguide," 12th International Symposium on Nonlinear Acoustics, Austin, Texas, 27-31 August 1990, in <i>Frontiers of Nonlinear Acoustics - 12th ISNA</i> , M. F. Hamilton and D. T. Blackstock, eds. (Elsevier Applied Science, London, 1990).

^hPrimary support for this work came from NASA Grant NSG 3198.

17 July 1990

DISTRIBUTION LIST FOR
ARL-TR-90-21
UNDER GRANT N00014-89-J-1109

<u>Copy No.</u>		<u>Copy No.</u>	
	Director Defense Advanced Research Projects Agency 1400 Wilson Blvd. Arlington, VA 22209-2309 Attn: Technical Library	18	Lawrence Livermore Laboratory University of California P. O. Box 808 Livermore, CA 94550 Attn: Dr. W. F. Krupke
1			
2-3	Office of Naval Research Physics Division Office (Code 1112) 800 North Quincy Street Arlington, VA 22217-5000	19	Harry Diamond Laboratories 2800 Powder Mill Road Adelphi, MD 20783 Attn: Technical Library
4	Office of Naval Research Director, Technology (Code 20) 800 North Quincy Street Arlington, VA 22217-5000	20	Naval Weapons Center China Lake, CA 93555 Attn: Technical Library (Code 753)
5	Naval Research Laboratory Department of the Navy (Code 2625) Washington, DC 20375-5000 Attn: Technical Library	21	Naval Underwater Systems Center New London, CT 06320 Attn: Technical Center
6	Office of the Director of Defense Research and Engineering Information Office Library Branch The Pentagon, Rm. 3E 1006 Washington, DC 20301	22	Commandant of the Marine Corps Scientific Advisor (Code RD-1) Washington, DC 20380
7-8	U.S. Army Research Office Box 12211 Research Triangle Park North Carolina 27709-2211	23	Naval Ordnance Station Indian Head, MD 20640 Attn: Technical Library
9-12	Defense Technical Information Center Cameron Station Alexandria, VA 22314	24	Naval Postgraduate School Monterey, CA 93940 Attn: Technical Library (Code 0212)
13	Director, National Bureau of Standards Research Information Center Gaithersburg, MD 20899 Attn: Technical Library (Admin E-01)	25	Naval Missile Center Point Mugu, CA 93010 Attn: Technical Library (Code 5632.2)
14	Commander U.S. Army Belvoir Research, Development and Engineering Ctr. Fort Belvoir, VA 22060-5606 Attn: Technical Library (STRBE-BT)	26	Naval Ordnance Station Louisville, KY 40214 Attn: Technical Library
15	ODDR&E Advisor Group on Electron Devices 201 Varick Street, 11th Floor New York, NY 10014-4877	27	Commanding Officer Naval Oceanographic and Atmospheric Research Laboratory Stennis Space Center, MS 39529 Attn: Technical Library
16	Air Force Office of Scientific Research Department of the Air Force Bolling AFB, DC 22209	28	Naval Ocean Systems Center San Diego, CA 92152 Attn: Technical Library
17	Air Force Weapons Laboratory Kirtland Air Force Base Albuquerque, NM 87117 Attn: Technical Library	29	Naval Surface Warfare Center Silver Spring, MD 20910 Attn: Technical Library
		30	David Taylor Research Center Bethesda, MD 20084 Attn: Central Library (Codes L42 and L43)
		31	Naval Avionics Facility Indianapolis, IN 46218 Attn: Technical Library

Distribution List for ARL-TR-90-21 under Grant N00014-89-J-1109
 (cont'd)

<u>Copy No.</u>		<u>Copy No.</u>	
32	W. M. Wright Physics Department Kalamazoo College Kalamazoo, MI 49007	44	James W. Wagner Materials Science and Engineering The Johns Hopkins University Baltimore, MD 21218
33	Yves H. Berthelot School of Mechanical Engineering Georgia Institute of Technology Atlanta, GA 30332	45	M. F. Hamilton (Mechanical Engineering)
34	Franklin R. Breckenridge National Bureau of Standards Gaithersburg, MD 20899	46	I. Busch-Vishniac (Mechanical Engineering)
35	Lawrence A. Crum National Center for Physical Acoustics P. O. Box 847 University, MS 38677	47	F. M. Pestorius, Director, ARL:UT
36	Steven L. Garrett Department of Physics - Code 61Gx Naval Postgraduate School Monterey, CA 93943-5000	48	ARL:UT Library
37	Robert F. Green Materials Science and Engineering The Johns Hopkins University Baltimore, MD 21218	49	C. L. Morsey (NAD)
38	Moises Levy Department of Physics The University of Wisconsin - Milwaukee Milwaukee, WI 53201	50-57	NAD Reserve
39	Philip L. Marston Department of Physics Washington State University Pullman, WA 99164-2814		
40	Walter G. Mayer Department of Physics Georgetown University Washington, DC 20057		
41	Julian D. Maynard Department of Physics Pennsylvania State University University Park, PA 16802		
42	Wolfgang H. Sachse Theoretical and Applied Mechanics Cornell University Ithaca, NY 14853-1503		
43	Robert N. Thurston - 3X223 Bell Communications Research Guided Wave and Optoelectronics 331 Newman Springs Road Red Bank, NJ 07701		